


# ASSEMBLY INSTRUCTIONS



## Hailee Medium Sculpted Chandelier

Item # RL 5341

**WE RECOMMEND INSTALLATION OF THIS LIGHTING FIXTURE BE DONE BY A LICENSED ELECTRICIAN.**

**WARNING\*\*\*SWITCH OFF THE MAIN ELECTRICAL SUPPLY FROM THE MAIN FUSE BOX/CIRCUIT BREAKER BEFORE INSTALLATION.**

**INSPECT ITEM CAREFULLY BEFORE ATTEMPTING TO INSTALL. IF THERE IS ANY DAMAGE OR OBVIOUS DEFECT. DO NOT INSTALL.**

**ITEM MAY NOT BE RETURNED ONCE IT HAS BEEN INSTALLED.**

**NOTE: CAREFULLY UNPACK EACH PIECE IN TOP LAYER OF PACKING PRIOR TO REMOVING. RETAIN ALL PACKING MATERIAL UNTIL INSPECTION AND INSTALLATION ARE FINAL.**

- Carefully remove all parts from the box.
- Remove the mounting plate (B) from the canopy (F) by loosening side screws (E).
- Put the mounting plate (B) on the ceiling and mark the holes position with pencil.
- Drill 4 holes on the ceiling and knock the anchors (L) into the holes.
- Install the mounting plate (B) to the outlet box and secure with mounting screws (C), then secure the wood screws (M) to the anchors (L) and lock tight.
- Connect the fixture ground (bare) wire with the ground wire from the outlet box using wire nut (A). If your house does not have ground wire, then attach this wire to the green grounding screw inside of the outlet box.



IT IS IMPERATIVE THAT THIS FIXTURE BE GROUNDED.

- Connect the fixture Neutral (ribbed, no markings) wire with the neutral wire from the outlet box using wire nut (A).
- Connect the fixture Hot (smooth edge, markings) wire with the hot wire from the outlet box using wire nut (A).

DO NOT REVERSE THE HOT AND NEUTRAL CONNECTIONS OR SAFETY WILL BE COMPROMISED.

- Tuck these wire connections neatly into the outlet box to secure.
- Attach canopy (F) to the mounting plate (B) and secure with side screws (E).
- Assembly the metal ring (H) to the canopy (F) by using rods (G) and securing with nuts (D).
- Assembly the metal ring (K) to the metal ring (H) by using rods (I) and securing with nuts (D).






# ASSEMBLY INSTRUCTIONS



### Hanging Hook

A (10PCS) L=7.25" (184mm)	B (9PCS) L=10.75" (273mm)	C (3PCS) L=19" (483mm)	D (14PCS) L=26" (660mm)
E (3PCS) L=30.5" (775mm)	F (3PCS) L=39.5" (1003mm)	G (1PC) L=31" (787mm)	H (4PCS) L=33.25" (845mm)
I (1PC) L=39.25" (997mm)	J (6PCS) L=22" (559mm)	K (11PCS) L=18.25" (464mm)	L (1PC) L=18" (457mm)
M (5PCS) L=22.25" (565mm)	N (11PCS) L=16.75" (425mm)	O (1PC) L=19.5" (495mm)	P (1PC) L=7.5" (191mm)
Q (1PC) L=19.25" (489mm)	R (2PCS) L=16.5" (419mm)	S (1PC) L=10.5" (267mm)	

### Crystal

				
1 10PCS	2 25PCS	3 25PCS	4 12PCS	5 16PCS

## Hailee Medium Sculpted Chandelier

Item # RL 5341

WE RECOMMEND INSTALLATION OF THIS LIGHTING FIXTURE BE DONE BY A LICENSED ELECTRICIAN.

**WARNING\*\*\*SWITCH OFF THE MAIN ELECTRICAL SUPPLY FROM THE MAIN FUSE BOX/CIRCUIT BREAKER BEFORE INSTALLATION.**

**INSPECT ITEM CAREFULLY BEFORE ATTEMPTING TO INSTALL. IF THERE IS ANY DAMAGE OR OBVIOUS DEFECT. DO NOT INSTALL.**

**ITEM MAY NOT BE RETURNED ONCE IT HAS BEEN INSTALLED.**

**NOTE: CAREFULLY UNPACK EACH PIECE IN TOP LAYER OF PACKING PRIOR TO REMOVING. RETAIN ALL PACKING MATERIAL UNTIL INSPECTION AND INSTALLATION ARE FINAL.**

13. Attach the hanging hooks (from A to S, total 19 kinds, 88pcs) to the metal ring (H to K) and secure with nuts (J). The location of the hanging hooks should follow the drawing shows.  
NOTE: To avoid the hanging hooks fall off from the metal ring, please attach a little glue (provided) on the top thread of the hooks before locking tight the nuts (J).
14. Hang the crystal (from 1 to 5, total 5 kinds, 88pcs) to the hanging hooks, no specific location, just put it on the desired hanging hooks.
15. Insert bulbs (not included) into the sockets.
16. Installation is complete, turn on power at fuse or circuit breaker.

\*\*\*Clean with a dry, soft cloth only. Use no harsh abrasives or chemical agents.