


ASSEMBLY INSTRUCTIONS



Montgomery Small/ Medium/ Large Globe Pendant Item # RL 5506/ 5507/ 5508

WE RECOMMEND INSTALLATION OF THIS LIGHTING FIXTURE BE DONE BY A LICENSED ELECTRICIAN.

WARNING***SWITCH OFF THE MAIN ELECTRICAL SUPPLY FROM THE MAIN FUSE BOX/CIRCUIT BREAKER BEFORE INSTALLATION.

INSPECT ITEM CAREFULLY BEFORE ATTEMPTING TO INSTALL. IF THERE IS ANY DAMAGE OR OBVIOUS DEFECT. DO NOT INSTALL.

ITEM MAY NOT BE RETURNED ONCE IT HAS BEEN INSTALLED.

NOTE: CAREFULLY UNPACK EACH PIECE IN TOP LAYER OF PACKING PRIOR TO REMOVING. RETAIN ALL PACKING MATERIAL UNTIL INSPECTION AND INSTALLATION ARE FINAL.

1. Carefully remove all parts from the box.
2. Let canopy (E) and ceiling lock (F) pass through the thread stud on crossbar (B) and thread into ceiling loop (G).
3. Install crossbar (B) with ceiling loop (G) to the outlet box by mounting screws (C).
4. Let the one end of chain (H) attach to ceiling loop (G) and another end attach to the ring on fixture (I).
5. With the fixture dimension as a guide, shorten chain (H) as needed.
6. Let all wiring from fixture (I) pass through ceiling loop (G), ceiling lock (F), canopy (E) and crossbar (B).
7. Connect the ground wire from fixture (I) to the ground wire from ceiling box by ground screw (D).

IT IS IMPERATIVE THAT THIS FIXTURE BE GROUNDED.

8. Connect the hot wire from fixture (I) to the hot wire from ceiling box using wire nuts (A).
9. Repeat this procedure for the neutral wire from the fixture to the neutral wire from ceiling box using wire nuts (A).
10. DO NOT REVERSE THE HOT AND NEUTRAL CONNECTIONS OR SAFETY WILL BE COMPROMISED.
11. Insert bulbs (not included) into the sockets of fixture (I).
12. Screw round metal pad (J) and clear rubber washer (K) into the thread stud on fixture (I).
13. Attached clear rubber washer (M) to finial (N).
14. Install glass shade (L) into fixture (I) by screwing finial (N) to the thread stud on fixture (I).
15. Installation is complete, turn on power at fuse or circuit breaker.

***Clean with a dry, soft cloth only. Use no harsh abrasives or chemical agents.