

ASSEMBLY INSTRUCTIONS

Watson Small/Medium Ring Chandelier Item # TOB5280/TOB5281


WE RECOMMEND INSTALLATION OF THIS LIGHTING FIXTURE BE DONE BY A LICENSED ELECTRICIAN.

WARNING*SWITCH OFF THE MAIN ELECTRICAL SUPPLY FROM THE MAIN FUSE BOX/CIRCUIT BREAKER BEFORE INSTALLATION.**

INSPECT ITEM CAREFULLY BEFORE ATTEMPTING TO INSTALL. IF THERE IS ANY DAMAGE OR OBVIOUS DEFECT. DO NOT INSTALL.

ITEM MAY NOT BE RETURNED ONCE IT HAS BEEN INSTALLED.

NOTE: CAREFULLY UNPACK EACH PIECE IN TOP LAYER OF PACKING PRIOR TO REMOVING. RETAIN ALL PACKING MATERIAL UNTILL INSPECTION AND INSTALLATION ARE FINAL.



1. Carefully remove all parts from the box.
2. Screw off the mounting plate (B) from the canopy (G) by lock collar (H).
3. Thread the tube (H) to the tube (I).
4. Pass the wiring from the fixture (J) through the tube (I) and thread tube (I) to the fixture (J).
5. Pass the canopy (G) and lock collar (H) through the tube (I).
6. Place the acrylic plates (K) onto the sockets and thread the candle tubes (L) to the sockets.
7. Install the mounting plate (B) to the outlet box by screws (E).
8. Connect the ground wire from fixture (J) to the ground wire from ceiling box. .
- IT IS IMPERATIVE THAT THIS FIXTURE BE GROUNDED.
9. Connect the hot wire from fixture (J) to the hot wire from ceiling box using wire nuts (A).
10. Repeat this procedure for the neutral wire from the fixture to the neutral wire from ceiling box using wire nuts (A).
11. DO NOT REVERSE THE HOT AND NEUTRAL CONNECTIONS OR SAFETY WILL BE COMPROMISED.
12. Loosen the inner bracket (D) from the mounting plate (B) by the screws (C).
13. Hang the fixture (J) onto the mounting plate (B).
14. Press the inner bracket (D) onto the swivel on the tube (F) and fix by screws (C).
15. Install the canopy (G) to the mounting plate (B) by lock collar (G).
16. Insert bulbs (not included) into the sockets of fixture (J).
17. Clip the shades (M) onto the bulbs.
18. Installation is complete, turn on power at fuse or circuit breaker.

***Clean with a dry, soft cloth only. Use no harsh abrasives or chemical agents.